





OWA FL C125

INSTRUKCJA MONTAŻU **PL**

Maskownica umożliwia montaż oprawy OWA FL LED lub OWA ALFA LED na kratownicy sufitu podwieszanego. Pełni rolę usztywnienia kratownicy oraz funkcję estetyczną.

ELEMENTY ZESTAWU

Maskownica


WYMIARY (mm)




Należy stosować się do wymagań i zaleceń bezpieczeństwa zawartych w instrukcji montażu oprawy

INSTALACJA

1. Rozpakować oprawę i zestaw montażowy oraz zweryfikować ich stan po transporcie.
2. Przełożyć moduł zasilający przez otwór w maskownicy.



3. Wykorzystując haczyki modułu zasilającego przy pomocy linek lub łańcuszków podwiesić moduł do konstrukcji sztywnej sufitu.
4. Wprowadzić źródło światła do maskownicy i zamocować w kratownicy sufitu podwieszanego.



5. Kolejne czynności wykonywać zgodnie z instrukcją oprawy.


GWARANCJA

Gwarancja na wyrób obowiązuje pod warunkiem przestrzegania zaleceń i wskazówek producenta oraz użytkowania produktu zgodnie z przeznaczeniem, na okres 12 miesięcy licząc od daty sprzedaży, chyba że wyrób sprzedany został w ramach kontraktu i ten stanowi inaczej. Gwarancja nie obejmuje usterek mechanicznych powstałych z winy klienta, a także usterek wynikłych na skutek złego podłączenia bądź użytkowania wyrobu.

OWA FL C125




INSTALLATION MANUAL **EN**





The masking frame is used to mount the OWA FL LED or OWA ALFA LED luminaires on the suspended ceiling grid. It acts as a stiffening of the truss and an aesthetic function.

MOUNTING KIT CONTENTS



Masking frame

DIMENSIONS (mm)







Follow the SAFETY included in the luminaire installation manual

INSTALLATION

1. Unpack the luminaire and mounting kit after transport and verify their condition.
2. Pass the power module through the hole in the masking frame.



3. Using the hooks of the power module, suspend the module to the rigid ceiling structure, with the ropes or chains.
4. Insert the light source into the masking frame and attach it in the suspended ceiling grid.



5. Perform the next steps in accordance with the luminaire installation manual.

WARRANTY

Warranty is valid and enforceable only when manufacturer's recommendations are preserved and the installation and usage are proper. Warranty is granted for a period of 12 months from the date of sale, unless the product has been sold under different contract conditions. The warranty is excluded in case of misuse, unsuitable use, wrong connection or mechanical defects of the product caused by the client.